



"Sunder Plast Private Limited: Setting the Standard in Blow Molding Excellence.

We're renowned for our commitment to unmatched quality and precision in plastic products. Our name signifies trust, innovation, and superior standards in the industry."

📍 18/5 street Opp Dry Port Faisalabad, Pakistan.

☎ +92-41-8563305,0321-6688899,0312-9099999

✉ sunderplast@gmail.com

🌐 <https://www.sunderplast.com.pk>

We believe in best quality and best services these are our strengths.

INTRODUCTION

Sunder Plast Private Limited is a renowned manufacturing organization committed to delivering cost-effective packaging solutions to a global clientele. With a team of seasoned professionals, we excel in addressing the unique challenges faced by those seeking to safeguard their valuable materials through efficient packaging. Located in the bustling industrial city of Faisalabad, " we are strategically positioned at the heart of textile and industrial centers. This advantageous location offers easy access to other vital industrial cities, including Lahore, Sialkot, Multan, Gujranwala, and Karachi.



ABOUT US

At Sunder Plast Pvt Ltd, we are more than just a business; we are a story, a journey, and a commitment to making a difference. Our narrative began with a vision, a spark of innovation and a passion for excellence. Since our inception in 2011 we have embarked on an odyssey, dedicated to delivering Top-quality products & services.



Established in 2011, Sunder Plast Pvt Ltd has grown from a promising idea to a thriving reality. We set out with a mission to transform the plastic packaging landscape, and over the years, we have made significant strides toward achieving that goal. Our journey is a testament to our determination and unwavering commitment to excellence.

A Technological Edge

In today's fast-paced world, staying at the forefront of technology is crucial. At Sunder Plast Private Limited, we understand this better than anyone. Our operations are powered by cutting-edge, computerized control machinery, enabling us to achieve precision in manufacturing that is second to none. We embrace technology as a tool for advancement and an instrument of innovation.

The Team Behind Our Success

Our success is not solely the result of machinery and technology; it is driven by the dedication and expertise of our team. We have assembled a workforce of trained and qualified professionals who bring their skills, knowledge, and a passion for quality to every project. Our team's commitment to excellence is what truly sets us apart.

Quality As Guiding Principle

Quality is more than just a word; it is the cornerstone of our existence. We are resolute in our adherence to strict quality control procedures that touch every facet of our manufacturing process. Our commitment to quality extends from the selection of raw materials to the delivery of the final product, ensuring that we consistently meet and exceed industry standards.

Challenges into Opportunities



Innovation: We pioneer new solutions to address evolving industry needs.



Sustainability: We uphold eco-friendly practices and prioritize sustainability.



Excellence: We pursue excellence in every aspect of our business. Our clients are our top priority.




OUR MISSION OUR COMMITMENT

“At SunderPlat, our mission is to be an industry leader in providing innovative and sustainable packaging solutions. We are dedicated to delivering high-quality products and services that empower our clients and drive their success. Our commitment to excellence, eco-friendly practices, and unwavering client focus guides us in creating value for our clients, employees, and stakeholders. We aim to make a positive impact on the communities we serve while maintaining the highest ethical standards in all our endeavors. Quality, innovation, and client satisfaction are the cornerstones of our mission, and we relentlessly pursue these goals to exceed our clients' expectations”

Vision

Our vision for SunderPlast is to be trailblazers in the industry. We view our clients not just as partners but as trail markers, leading the way with innovation and adaptability. We are dedicated to meeting present and future demands, spearheading the next generation of industrial packaging, and fostering a global perspective that emphasizes sustainability and ecological responsibility.




SOLUTION FOR YOUR NEEDS

OUR OFFERINGS



Food Grade	
250 LTR Open Top Drum/Barrel	
Material	HXM-HDPE
Normal/Brimful Capacity (L)	250-255
Tare Weight	11.4 kg +/- 100 gm

Dimensions	
Height with Lid mm	952.5 mm +/- 5mm
Width (mm)	596.9 mm +/- 5mm
Clamping ring	Galvanised iron ring




Food Grade	
250 LT Closed Drum/Barrel	
Material	HXM-HDPE
Normal/Brimful Capacity (L)	250-252
Tare Weight	10.5 kg

Dimensions	
Height (mm)	955 mm +/- 5mm
Width (mm)	596 mm +/- 5 mm
Caps	Two caps with seals

SOLUTION FOR YOUR NEEDS

OUR OFFERINGS



Food Grade

200 Ltr Closed Top Drum/Barrel

Material	HXM-HDPE
Normal/Brimful Capacity (L)	230
Tare Weight	9.5 kg

Dimensions

Height with Lid mm	890 mm
Width (mm)	596.9 mm
Clamping ring	Galvanised iron ring




Food Grade

160 LTR Open Top Drum/Barrel

Material	HXM-HDPE
Normal/Brimful Capacity (L)	162-150
Tare Weight	6.8 kg

Dimensions

Height with Lid mm	958 mm +/- 5mm
Width (mm)	506 mm +/- 5mm
Clamping ring	Galvanised iron ring



SOLUTION FOR YOUR NEEDS

OUR OFFERINGS



Food Grade	
120 LTR Open Top Drum/Barrel	
Material	HXM-HDPE
Normal/Brimful Capacity (L)	120-125
Tare Weight	6.1 kg
Dimensions	
Height with Lid mm	812 mm +/- 5 mm
Width (mm)	482 mm +/- 5 mm
Clamping ring	Galvanised iron ring



Food Grade	
60 LTR Open Top Drum/Barrel	
Material	HXM-HDPE
Normal/Brimful Capacity (L)	60-62
Tare Weight	3.4 kg +/- 50 gm
Dimensions	
Height with Lid mm	615 mm +/- 5 mm
Width (mm)	400 mm +/- 5 mm
Clamping ring	Galvanised iron ring

SOLUTION FOR YOUR NEEDS

OUR OFFERINGS



Food Grade	
40 LTR Open Top Drum/Barrel	
Material	HXM-HDPE
Normal/Brimful Capacity (L)	40-42
Tare Weight	2.2 kg +/- 50 gm
Dimensions	
Height with Lid mm	585 mm +/- 5 mm
Width (mm)	310 mm +/- 5 mm
Clamping ring	Galvanised iron ring



Food Grade	
30 LTR Open Top Drum/Barrel	
Material	HXM-HDPE
Normal/Brimful Capacity (L)	30-32
Tare Weight	2.2 kg +/- 50 gm
Dimensions	
Height with Lid mm	523 mm +/- 5 mm
Width (mm)	310 mm +/- 5 mm
Clamping ring	Galvanised iron ring

TAILORED COMPREHENSIVE SOLUTIONS INDUSTRIAL GRADE

Sunder Plast Pvt Ltd: Your ultimate choice for superior food and industrial packaging. Offering a range from 250 ml bottles to 250-Litres drums.



PYODINE PACK

PYODINE PACKING

Packaging solution tailored specifically for Pyodine solution



750 ml Bottle

HDPE CO-EX Design

750 ml plastic bottle stands out as a practical and adoptable option.



1 Ltr Bottle

HDPE CO-EX Design

Crafted from high quality durable plastic material. Meticulously designed.



1 Ltr Acid clean Bottle

HDPE Ceramic Acid clean

The 1-liter ceramic acid clean bottle meticulously engineered to preserve acid.



1 Ltr Acid clean Bottle

HDPE Ceramic Acid clean

Elegant Designe for cleaning acid packaging good strength and safe to use



Toilet Cleaner Bottles

HDPE Toilet Cleaner's

Complete set of toilet cleaners bottle with stylish designe



2.5 kg ketchup
HDPE Jerry can

2.5 kg jerry can seamlessly combine durability, versatility and smart design.



4 kg ketchup
HDPE Jerry can

4 kg jerry can seamlessly combine durability, versatility and smart design.



3 ltr Jerry Can
HDPE Jerry can

Best design for pesticide industry with premium high quality material & durability.



4 ltr Jerry Can
HDPE Jerry can

Best design for pesticide industry with premium high quality material & durability.



4 ltr Jerry Can

HDPE Jerry can

Advance material and sturdy construction. Manufactured from High quality HDPE. Best for chemical filling.



6 ltr Jerry Can

HDPE Jerry can

Optimal capacity & versatility with a generous capacity of 6 ltr for chemical, oils, detergents and other chemicals



5 ltr Jerry Can

HDPE Jerry can

User friendly Design and Convenience. Secure closure & leakage protection. Equipped with secured and leak resistance cap.



5 ltr Jerry Can

HDPE Jerry can

Unique Elegant design and Convenience. Secure closure & leakage protection. Equipped with secured and leak resistance cap.



10 ltr Jerry Can

HDPE Jerry can

Unique Elegant design and Convenience. Secure closure & leakage protection. Best choice for filling of your precious product



10 ltr Jerry Can

HDPE Jerry can

Extra strengthen rib design with reinforcement effect. Secure closure & leakage protection. Equipped with secured and leak resistance cap.



Mobil Oil Pack

HDPE Jerry can

Small mobil oil packing customised designing according to customer demand. 750 ml, 1 ltr. All variants available



4 ltr, Mobil Oil

HDPE Jerry can

4 ltr mobile packaging according to customer requirement with smooth finishing.

SOLUTION FOR YOUR NEEDS

OUR OFFERINGS




Industrial Grade	
20 Ltr Jerry Can	
Material	HXM-HDPE
Normal/Brimful Capacity (L)	20~24
Tare Weight	1.2 ~1.5 kg
Dimensions	
Height (mm)	365 mm +/- 5mm
Width (mm)	295 mm +/- 5mm
Cap	Cap with ratchet seal



Industrial Grade	
25 Ltr Jerry Can corner neck	
Material	HXM-HDPE
Normal/Brimful Capacity (L)	25~28
Tare Weight	1.5 kg
Dimensions	
Height (mm)	365 mm +/- 5mm
Width (mm)	285 mm +/- 5mm
Cap	Cap with ratchet seal

SOLUTION FOR YOUR NEEDS

OUR OFFERINGS



Industrial Grade

30 Ltr Jerry Can

Material	HXM-HDPE
Normal/Brimful Capacity (L)	30~33
Tare Weight	1.5 kg

Dimensions

Height (mm)	440 mm +/- 5mm
Width (mm)	277 mm +/- 5mm
Cap	Cap with ratchet seal




Industrial Grade

35 Ltr Jerry Can corner neck

Material	HXM-HDPE
Normal/Brimful Capacity (L)	35~37
Tare Weight	1.5 ~1.7 kg

Dimensions

Height (mm)	470 mm +/- 5mm
Width (mm)	285 mm +/- 5mm
Cap	Cap with ratchet seal



SOLUTION FOR YOUR NEEDS

OUR OFFERINGS



Industrial Grade

40 Ltr jerry can

Material	HXM-HDPE
Normal/Brimful Capacity (L)	40~40.5 L
Tare Weight	1.7 kg

Dimensions

Height (mm)	770 mm
Width (mm)	300 mm
Cap	Cap with ratchet seal



Industrial Grade

60 Ltr Jerry Can


Material	HXM-HDPE
Normal/Brimful Capacity (L)	60 L
Tare Weight	2.7 kg

Dimensions

Height (mm)	620 mm +/- 5mm
Width (mm)	332 mm +/- 5mm
Cap	Cap with ratchet seal

SOLUTION FOR YOUR NEEDS


OUR OFFERINGS



Industrial Grade	
70 Ltr Jerry Can	
Material	HXM-HDPE
Normal/Brimful Capacity (L)	70
Tare Weight	2.7~3 kg
Dimensions	
Height (mm)	635 mm +/- 5mm
Width (mm)	335 mm +/- 5mm
Cap	Cap with ratchet seal




Industrial Grade	
30 Ltr Open Top Drum/Barrel	
Material	HXM-HDPE
Normal/Brimful Capacity (L)	30 L
Tare Weight	1.5 kg - base / 350 gm cap
Dimensions	
Height (mm)	523 mm +/- 5 mm
Width (mm)	310 mm +/- 5 mm
Clamping ring	Galvanised iron ring



SOLUTION FOR YOUR NEEDS

OUR OFFERINGS



Industrial Grade

40 Ltr Open Top Drum/Barrel

Material	HXM-HDPE
Normal/Brimful Capacity (L)	40 L
Tare Weight	1.5 kg - base / 350 gm cap

Dimensions

Height (mm)	585 mm +/- 5 mm
Width (mm)	310 mm +/- 5 mm
Clamping ring	Galvanised iron ring




Industrial Grade

60 Ltr Open Top Drum/Barrel

Material	HXM-HDPE
Normal/Brimful Capacity (L)	60 L
Tare Weight	2.5 kg-base / 500 gm


Dimensions

Height (mm)	615 mm +/- 5 mm
Width (mm)	400 mm +/- 5 mm
Clamping ring	Galvanised iron ring



SOLUTION FOR YOUR NEEDS

OUR OFFERINGS




Industrial Grade	
120 Ltr Open Top Drum/Barrel	
Material	HXM-HDPE
Normal/Brimful Capacity (L)	120 L
Tare Weight	4.5 kg-base / 850 gm

Dimensions	
Height with Lid mm	812 mm +/- 5 mm
Width (mm)	482 mm +/- 5 mm
Clamping ring	Galvanised iron ring



Industrial Grade	
150 Ltr Open Top Drum/Barrel	
Material	HXM-HDPE
Normal/Brimful Capacity (L)	160 L
Tare Weight	5.5 kg-base / 850 gm

Dimensions	
Height with Lid mm	958 mm +/- 5mm
Width (mm)	506 mm +/- 5mm
Clamping ring	Galvanised iron ring



SOLUTION FOR YOUR NEEDS

OUR OFFERINGS



Industrial Grade

180 Ltr Open Top Drum/Barrel

Material	HXM-HDPE
Normal/Brimful Capacity (L)	180 L
Tare Weight	6~6.5 kg-base / 850 gm

Dimensions

Height (mm)	1034 mm +/- 5mm
Width (mm)	506 mm +/- 5mm
Clamping ring	Galvanised iron ring

Industrial Grade

250 Ltr Open Top Drum/Barrel

Material	HXM-HDPE
Normal/Brimful Capacity (L)	130~135 L
Tare Weight	9~9.5 kg-base / 1.2 kg

Dimensions

Height (mm)	952.5 mm +/- 5mm
Width (mm)	596.9 mm +/- 5mm
Clamping ring	Galvanised iron ring

SOLUTION FOR YOUR NEEDS

OUR OFFERINGS



Industrial Grade

130 Ltr Closed Top Drum/Barrel

Material	HXM-HDPE
Normal/Brimful Capacity (L)	130~135 L
Tare Weight	5.5~6 kg

Dimensions

Height (mm)	485 mm
Width (mm)	785 mm
Caps	With Two caps and seals



Industrial Grade

200 Ltr Open Top Drum/Barrel

Material	HXM-HDPE
Normal/Brimful Capacity (L)	210~220 L
Tare Weight	9.5 kg

Dimensions

Height (mm)	890 mm +/-5 mm
Width (mm)	596.9 mm +/-5 mm
Caps	With Two caps and seals

SOLUTION FOR YOUR NEEDS

OUR OFFERINGS



Industrial Grade

250 Ltr Closed Top Drum/Barrel

Material	HXM-HDPE
Normal/Brimful Capacity (L)	250~255 L
Tare Weight	9.5~10 kg

Dimensions

Height (mm)	952 mm +/-5 mm
Width (mm)	596.9 mm +/-5 mm
Caps	With Two caps and seals

Dimensions

CRAFTING SOLUTIONS

OUR SERVICES

We specialize in creating bespoke plastic packaging solutions tailored to meet the unique needs of your product. Our team works closely with clients to design packaging that enhances brand identity and ensures product protection. With state-of-the-art machinery & expertise in blow molding, we produce high-quality plastic packaging in various shapes, sizes and styles. Our capabilities allow for efficient and precise manufacturing to meet bulk orders with consistency.

- ◆ Our rigorous quality control measures ensure that each plastic packaging item meets industry standards and client specifications.
- ◆ We guarantee durability, functionality, and visual appeal in every product.
- ◆ Client Assistant.
- ◆ Customization.
- ◆ Efficient logistics.



WE SCULPT THE FUTURE OF PLASTIC PACKAGING INNOVATION

OUR ACHIEVEMENTS

"Individually, we are experts in our craft; together, we are a powerhouse. Our synergy fuels innovation, our diversity fosters creativity, and our collective dedication drives us to exceed.



ISO 9001:2015 CERTIFIED

We got the ISO certification last two year before for our packaging production unit.



FOOD SAFETY CERTIFIED

We got the food safety certification for our food grade products.



HALAL CERTIFIED

We got the HALAL certification for our food grade products.

"At SPPL, we are dedicated to delivering excellence in every aspect of our operations. As a testament to our unwavering commitment to quality, safety, and compliance, we are proud to announce our recent achievements. We have successfully attained ISO certification, demonstrating our adherence to internationally recognized standards for quality management systems. Rigorous adherence to stringent food safety standards is at the core of our potential ethos. Acknowledging the diverse need of our customers, particularly those seeking Halal-certified products, we have obtained Halal certification."

As a team, we embrace challenges, celebrate successes, and continually strive for excellence. United in purpose, we forge ahead, transforming visions into reality and shaping the future of plastic packaging solutions."

OUR STRENGTH OUR CLIENTS



خوشیوں کے ساتھ تے



Pulcra Chemicals



Good food, Good life



Color Chemistry



WAH NOBEL GROUP



CONTACT US



18/5 Opp dry port Jhumrah Road Faisalabad, Pakistan.



041-8563305, 0321-6688899, 0312-9099999



Sunderplast@gmail.com,



<https://sunderplast.com.pk>

